

## PRODUCT DATA SHEET ISO-FR 13x38x38mm

Priemyselná 720				Phone	e :+421 5668	371311
072 22 Strážske				Fax	: +421 5668	
<u>Type</u>	ŝ	CREENGRID <sup>®</sup> G.F	R.P. MOULDED ISO-	FR SERIES GRA	ATING TYPE <b>13</b>	(38х38мм
Material : Isophthalic fire retardant resin reinforced with continuous glass rovings.						
Standard color	: Ye	ellow RAL 1003				
Density	÷ 1,	5 – 2,0				
Standard panel siz						
	₋ength Thickn∉ [ <i>mm</i> ] [ <i>mm</i> ]		n Opening [ <i>mm</i> ]	Open area [%]	Weight [ <i>kg / m²</i> ]	Weight per panel [ kg ]
	3660 13	38x38	31x31	70	6,0	27,00
Standardization	:	Meets DIN24537-3				
Tolerances		Length, width Thickness Weight Color deviation	± 3 mm ± 1 mm ± 5% Close to specified	I RAL-code.		
Glass / resin mix r	atio :	Approx. 30 / 70 % b	y weight.			
Fire retardancy	:	Self-extinguishing.				
Operating tempera	ature range :	- 40 °C / 65 °C.				
Weathering	:	For inside and outsi	de applications (UV	resistant).		
		<ol> <li>Voids, streaking</li> <li>Explosion-free</li> <li>Meets REACH</li> </ol>	g and chip-outs acco Group I and IIA acco EU 1907/2006	raing to Fiberst rding EN13463	ruct standards. -1 annex C.(DN	V)
Technical info:	± 32		Fixing material:			
			Ś		M13SM type	
	± 38_			nless steel AIS nless steel AIS Dip Galvanized	I 316 (A4)	
Surface finish: C			oncave surface to obtain ets R13 according to B		51130.	
G			can be provided with a o meets R13 according		DIN 51130 for Si	O <sub>2</sub> grit.